EN 131-1:2015, EN 131-2:2010+A2:2017 EN 131-3:2018

www.alumet.ru e-mail: info@alumet.ru

Russia, Building 1, Possession 121, village Shelepino, Dmitrovsky District Moscow Oblast, Russia, 141825

Tel.:+7 495 668 10 73



FALUMET THE PRODUCTION OF LADDERS

Since 2005, ALYUMET Ltd. offers aluminum stairs, stepladders, mobile scaffold towers as well as household and professional steel ladders to its clients.

ALUMET Ltd. had won the leading position in Russia's national market thanks to a broad range of goods and flexible pricing strategies. As high quality is fundamental for all our products, they became famous overseas as well as nationally. We use modern, hi-tech equipment for manufacturing every position featured in our catalogues. It is a well-established mode of our activities to observe the demands of consumers —literally without a break, intending to develop new modifications of our products. ALUMET Ltd. makes a point in entry-level control related to materials and components that are to be processed further during the actual production timeframe. We have conducted all the necessary steps to certify the high-level quality of our products. The company guarantees that the items we offer are well enough for long-term and safe use, no matter which kind of work you need to do. Reliability is our top priority! ALUMET Ltd. possesses large storage capacity that makes it easy to ship products of any kind and volume within the shortest period of time possible. We both value our experienced customers and strive to build new links of cooperation. The company's personnel is happy to offer a comprehensive understanding of our products as well as assist you is assembling your ordered items.

+7 495 668 10 73 www.alumet.ru e-mail: info@alumet.ru Building 1, Possession 121, village Shelepino, Dmitrovsky District Moscow Oblast, Russia, 141825

THE PRODUCTION OF LADDERS

TWO-SIDED STEPLADDER ALUMINIUM

Тур	₿	и		1/	. 1		kg
AD7202	2x2	0,45	0,16	0,39	2,49	0,42	1,9
AD7203	2x3	0,68	0,16	0,60	2,70	0,44	2,7
AD7204	2x4	0,91	0,16	0,81	2,91	0,46	3,5
AD7205	2x5	1,14	0,16	1,02	2,70	0,49	4,4
AD7206	2x6	1,37	0,16	1,23	2,91	0,51	5,3

EN 131-1:2015, EN 131-2:2010+A2:2017 EN 131-3:2018





ONE-SIDED STEPLADDER ALUMINIUM

Тур		u I		$\overline{\langle \cdot \rangle}$	r.			kg
AM 703	1x3	1,31	0,11	0,60	1,20	2,70	0,42	3,0
AM 704	1x4	1,54	0,11	0,81	1,41	2,91	0,44	3,6
AM 705	1x5	1,77	0,11	1,02	1,62	3,12	0,46	4,2
AM 706	1x6	2,00	0,12	1,23	1,83	3,33	0,49	4,9
AM 707	1x7	2,23	0,12	1,45	2,05	3,55	0,51	5,8
AM 708	1x8	2,46	0,12	1,66	2,26	3,76	0,54	6,4

EN 131-1:2015, EN 131-2:2010+A2:2017 EN 131-3:2018





EN 131-1:2015, EN 131-2:2010+A2:2017 EN 131-3:2018

SINGLE LADDER ALUMINIUM

Тур	丨	n l	<u>/</u> .	kg
H1 5106	1x6	1,69	2,59	2,6
H1 5107	1x7	1,97	2,87	3,0
H1 5108	1x8	2,25	3,15	3,4
H1 5109	1x9	2,53	3,43	3,8
H1 5110	1x10	2,81	3,71	4,3
H1 5111	1x11	3,09	3,99	5,3
H1 5112	1x12	3,37	4,27	6,0
H1 5113	1x13	3,65	4,55	6,4
H1 5114	1x14	3,93	4,83	6,9
H1 5115	1x15	4,22	5,12	7,4
H1 5116	1x16	4,50	5,40	7,8
H1 5117	1x17	4,78	5,68	8,3
H1 5118	1x18	5,06	5,96	8,7



ALUMET THE PRODUCTION OF LADDERS

UNIVERSAL TWO-PART LADDER ALUMINIUM

Тур	Ħ			<u>[</u>].	<u>/</u> "	1.	kg
H2 5206	2x6	1,69	1,60	2,59	2,54	3,44	6,6
H2 5207	2x7	1,97	1,86	2,87	2,82	3,72	7,5
H2 5208	2x8	2,25	2,13	3,15	3,10	4,00	8,3
H2 5209	2x9	2,53	2,39	3,43	4,22	5,12	9,3
H2 5210	2x10	2,81	2,65	3,71	4,50	5,40	10,1
H2 5211	2x11	3,09	2,92	3,99	5,06	5,96	11,3
H2 5212	2x12	3,37	3,18	4,27	5,62	6,52	12,2

EN 131-1:2015, EN 131-2:2010+A2:2017 EN 131-3:2018



ALUMET THE PRODUCTION OF LADDERS

UNIVERSAL TWO-PART LADDER ALUMINIUM

Тур	丨				1		kg
HS2 6210	2x10	2,81	2,65	3,71	4,50	5,40	11,9
HS2 6211	2x11	3,09	2,92	3,99	5,06	5,96	13,7
HS2 6212	2x12	3,37	3,18	4,27	5,62	6,52	14,9
H S 2 6213	2x13	3,65	3,44	4,56	6,18	7,08	16,0
HS2 6214	2x14	3,93	3,71	4,83	6,74	7,64	17,1

EN 131-1:2015, EN 131-2:2010+A2:2017 EN 131-3:2018





UNIVERSAL THREE-PART LADDER ALUMINIUM

Тур	Ħ			X .	\mathbf{A}	×].			kg
H3 5306	3x6	1,69	1,60	2,59	2,54	3,44	3,38	4,28	9,8
H3 5307	3x7	1,97	1,86	2,87	2,82	3,72	3,94	4,84	11,2
H3 5308	3x8	2,25	2,13	3,15	3,10	4,00	5,06	5,96	12,5
H3 5309	3x9	2,53	2,39	3,43	4,22	5,12	5,90	6,80	13,8

EN 131-1:2015, EN 131-2:2010+A2:2017 EN 131-3:2018



ALUNET THE PRODUCTION OF LADDERS

UNIVERSAL THREE-PART LADDER ALUMINIUM

Тур	目			X.	<u> </u>	×.	/	X _	kg
HS3 6309	3x9	2,53	2,39	3,43	4,22	5,12	5,90	6,80	17,3
H S 3 6310	3x10	2,81	2,65	3,71	4,30	5,40	6,46	7,36	19,0

EN 131-1:2015, EN 131-2:2010+A2:2017 EN 131-3:2018



ALUMET THE PRODUCTION OF LADDERS



WORKING PLATFORM

Тур	目			M.	M I	kg
SM 4006	2x6	1,04	1,70	2,52	3,42	11,3
SM 4007	2x7	1,31	1,98	3,08	3,98	12,1

Max 150 kg www.alumet.ru EN 131-1:2015, EN 131-2:2010+A2:2017 EN 131-3:2018

+7 495 668 10 73 www.alumet.ru e-mail: info@alumet.ru Building 1, Possession 121, village Shelepino, Dmitrovsky District Moscow Oblast, Russia, 141825